

Ultra Light Helmet REF. 1010177





GENERAL DATA

Division: Fall Protection **Family**: Fall Protection **Range**: Helmets

Brand formerly known as: MILLER

Business Countries

EMEA

United Kingdom
Activity Domains:

Building and Construction • Industry

Product Use:

Adjustable ultra light white helmet (head mast, neck-tighter) equiped with a skull adjustable webbing with chinstrap. Conceived for ground, industrial and building site work.

PRODUCT ADVANTAGES

Feature:

Meets the optional requirements of the EN 397 standard : Electrical insulation, Protection against fusion metal projections, Lateral deformation, Use in low temperatures.

Benefit

Adjustable ultra light white helmet (head mast, neck-tighter) equiped with a skull adjustable webbing with chinstrap.



TECHNICAL DESCRIPTION

Performance

Operating Temperature:

-30°C to +50°C

General Information

Weight (kg):

504 g

Size:

One

Complementary Information:

Meets the optional requirements of the EN 397 standard:

- ? Electrical insulation,
- ? Protection against fusion metal projections,
- ? Lateral deformation,
- ? Use in low temperatures.
- ? Available in white

ADDITIONAL INFORMATION

User manual number:

EN397

CERTIFICATION AND CONFORMITY

European Directives:

89/686/EEC

EC Category PPE* : Category III

Standards:

EN397

Quality Assurance:

ISO 9001 / 2000

EC Certification Number:

333

EC Attestation Number :

0069/047/158/01/95/0001

Laboratory:

UTAC

*PPE: Personal Protective Equipment



EC CONFORMITY DECLARATION

The manufacturer or its legal representative supplier settled in the European Community:

Miller by Sperian

Declares that the next Personal Protective Equipment described here after is in conformity with the provisions of Council Directive 89/686/CEE:

Designation: Ultra Light Helmet

Reference: 1010177 white / 1007048 red

Standard(s): EN397

This PPE is the object of the above EC attestation type:

0069/047/158/01/95/0001

Delivered by:

UTAC

17 rue Peclet

75015 Paris

France

Made at Vierzon, on the 06/21/2007

By: Yves Depin

Division: Fall Protection

